






- IMPELLER
- A** = Ø 216 mm
 - B** = Ø 200 mm
 - C** = Ø 184 mm
 - D** = Ø 170 mm






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER **A** = Ø 345 mm
- B** = Ø 310 mm
- C** = Ø 270 mm

0 100 200 300 400 500 600 700 U.S. g.p.m.




0 30 60 90 120 150 m³ / h

— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 270 mm
 - B** = Ø 254 mm
 - C** = Ø 234 mm
 - D** = Ø 215 mm






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 216 mm
 - B** = Ø 200 mm
 - C** = Ø 184 mm
 - D** = Ø 170mm






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 345 mm
 - B** = Ø 310 mm
 - C** = Ø 270 mm

0 200 400 600 800 1000 1200 U.S. g.p.m.




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A = Ø 270 mm
 - B = Ø 254 mm
 - C = Ø 234 mm
 - D = Ø 215 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction