






- IMPELLER
- A** = Ø 254 mm
 - B** = Ø 230 mm
 - C** = Ø 200 mm

0 400 800 1200 1600 U.S. g.p.m.

0 400 800 1200 1600 IM. g.p.m.






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 423 mm
 - B** = Ø 388 mm
 - C** = Ø 355 mm
 - D** = Ø 325 mm







— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 325 mm
 - B** = Ø 300 mm
 - C** = Ø 278 mm
 - D** = Ø 254 mm




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A = Ø 254 mm
 - B = Ø 230 mm
 - C = Ø 200 mm




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 370 mm
 - B** = Ø 340 mm
 - C** = Ø 310 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A = Ø 325 mm
 - B = Ø 300 mm
 - C = Ø 278 mm
 - D = Ø 254 mm

0 400 800 1200 1600 2000 U.S. g.p.m.

0 400 800 1200 1600 IM. g.p.m.



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction