






- IMPELLER
- A** = Ø 250 mm
 - B** = Ø 230 mm
 - C** = Ø 210 mm
 - D** = Ø 190 mm




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 491 mm
 - B** = Ø 445 mm
 - C** = Ø 415 mm
 - D** = Ø 380 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 395 mm
 - B** = Ø 365 mm
 - C** = Ø 330 mm
 - D** = Ø 295 mm

0 500 1000 1500 2000 U.S. g.p.m.

0 500 1000 1500 IM. g.p.m.



0 50 100 150 200 250 300 350 400 450 500 m³/h

Q

— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 301 mm
 - B** = Ø 260 mm
 - C** = Ø 232 mm

0 200 400 600 800 1000 1200 1400 1600 U.S. g.p.m.

0 200 400 600 800 1000 1200 1400 IM. g.p.m.



0 50 100 150 200 250 300 350 400 450 m³/h

— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 250 mm
 - B** = Ø 230 mm
 - C** = Ø 210 mm
 - D** = Ø 190 mm

0 200 400 600 800 1000 1200 1400 1600 U.S. g.p.m.

0 200 400 600 800 1000 1200 1400 IM. g.p.m.



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 365 mm
 - B** = Ø 330 mm
 - C** = Ø 295 mm

0 500 1000 1500 2000 2500 3000 3500 4000 U.S. g.p.m.

0 400 800 1200 1600 2000 2400 2800 3200 IM. g.p.m.




0 100 200 300 400 500 600 700 800 900 1000 m³/h

— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 301 mm
 - B** = Ø 260 mm
 - C** = Ø 232 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction