






- IMPELLER
- A** = Ø 290 mm
 - B** = Ø 255 mm
 - C** = Ø 220 mm

0 1200 2400 3600 4800 U.S. g.p.m.

0 1200 2400 3600 IM. g.p.m.






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 585 mm
 - B** = Ø 525 mm
 - C** = Ø 490 mm
 - D** = Ø 450 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 460 mm
 - B** = Ø 420 mm
 - C** = Ø 375 mm
 - D** = Ø 345 mm

0 400 800 1200 1600 2000 2400 2800 3200 U.S. g.p.m.

0 500 1000 1500 2000 2500 IM. g.p.m.



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 370 mm
 - B** = Ø 345 mm
 - C** = Ø 320 mm
 - D** = Ø 285 mm

0 400 800 1200 1600 2000 2400 2800 3200 U.S. g.p.m.

0 500 1000 1500 2000 2500 IM. g.p.m.



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —




single stage double suction



- IMPELLER
- A** = Ø 290 mm
 - B** = Ø 255 mm
 - C** = Ø 220 mm

0 400 800 1200 1600 2000 2400 U.S. g.p.m.

0 500 1000 1500 2000 IM. g.p.m.



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction