






- IMPELLER
- A** = Ø 338 mm
  - B** = Ø 315 mm
  - C** = Ø 290 mm
  - D** = Ø 268 mm






— Head and power ratings apply to media with a density of  $\rho = 1 \text{ kg/dm}^3$  and kinetic viscosity of  $20 \text{ mm}^2/\text{s}$  —

single stage double suction



- IMPELLER
- A = Ø 655 mm
  - B = Ø 610 mm
  - C = Ø 540 mm

0 1200 2400 3600 4800 U.S. g.p.m.






— Head and power ratings apply to media with a density of  $\rho = 1 \text{ kg/dm}^3$  and kinetic viscosity of  $20 \text{ mm}^2/\text{s}$  —

single stage double suction



- IMPELLER
- A** = Ø 530 mm
  - B** = Ø 490 mm
  - C** = Ø 440 mm
  - D** = Ø 400 mm






— Head and power ratings apply to media with a density of  $\rho = 1 \text{ kg/dm}^3$  and kinetic viscosity of  $20 \text{ mm}^2/\text{s}$  —

single stage double suction



- IMPELLER
- A** = Ø 426 mm
  - B** = Ø 380 mm
  - C** = Ø 350 mm
  - D** = Ø 320 mm



— Head and power ratings apply to media with a density of  $\rho = 1 \text{ kg/dm}^3$  and kinetic viscosity of  $20 \text{ mm}^2/\text{s}$  —

single stage double suction