






- IMPELLER
- A** = Ø 290 mm
 - B** = Ø 255 mm
 - C** = Ø 220 mm

0 1500 3000 4500 U.S. g.p.m.






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 765 mm
 - B** = Ø 730 mm
 - C** = Ø 695 mm
 - D** = Ø 650 mm






— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 610 mm
 - B** = Ø 570 mm
 - C** = Ø 520 mm
 - D** = Ø 480 mm




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 490 mm
 - B** = Ø 455 mm
 - C** = Ø 420 mm
 - D** = Ø 382 mm







— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 395 mm
 - B** = Ø 355 mm
 - C** = Ø 320 mm
 - D** = Ø 300 mm




— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction



- IMPELLER
- A** = Ø 321 mm
 - B** = Ø 290 mm
 - C** = Ø 255 mm



— Head and power ratings apply to media with a density of $\rho = 1 \text{ kg/dm}^3$ and kinetic viscosity of $20 \text{ mm}^2/\text{s}$ —

single stage double suction