




Pump Type			Q											
			m³/h	0	5	10	15	20	25	30	33	35	38	40
HM - HMM HMVM	HMR	HMV	l/sec	0	1.4	2.8	4.2	5.6	6.9	8.3	9.0	9.7	10.4	11.1
32.A/1	32.A/1	32.A/1	H	48.0	47.5	46.5	45.1	42.4	38.2	32.9	30.0	27.0	23.6	19.5
			P1	2.40	2.79	3.18	3.62	4.09	4.49	4.73	4.83	4.92	5.00	5.06
32.A/2	32.A/2	32.A/2	H	96.0	95.0	93.0	90.2	84.8	76.4	65.8	60.0	54.0	47.2	39.0
			P1	4.8	5.6	6.4	7.2	8.2	9.0	9.5	9.7	9.8	10.0	10.1
32.A/3	32.A/3	32.A/3	H	144.0	142.5	139.5	135.3	127.2	114.6	98.7	90.0	81.0	70.8	58.5
			P1	7.2	8.4	9.5	10.9	12.3	13.5	14.2	14.5	14.8	15.0	15.2
32.A/4	32.A/4	32.A/4	H	192.0	190.0	186.0	180.4	169.6	152.8	131.6	120.0	108.0	94.4	78.0
			P1	9.6	11.2	12.7	14.5	16.4	18.0	18.9	19.3	19.7	20.0	20.2
32.A/5	32.A/5	32.A/5	H	240.0	237.5	232.5	225.5	212.0	191.0	164.5	150.0	135.0	118.0	97.5
			P1	12.0	14.0	15.9	18.1	20.5	22.5	23.7	24.2	24.6	25.0	25.3
32.A/6	32.A/6	32.A/6	H	288.0	285.0	279.0	270.6	254.4	229.2	197.4	180.0	162.0	141.6	117.0
			P1	14.4	16.7	19.1	21.7	24.5	26.9	28.4	29.0	29.5	30.0	30.4
32.A/7	32.A/7	32.A/7	H	336.0	332.5	325.5	315.7	296.8	267.4	230.3	210.0	189.0	165.2	136.5
			P1	16.8	19.5	22.3	25.3	28.6	31.4	33.1	33.8	34.4	35.0	35.4
32.A/8	32.A/8	32.A/8	H	384.0	380.0	372.0	360.8	339.2	305.6	263.2	240.0	216.0	188.8	156.0
			P1	19.2	22.3	25.4	29.0	32.7	35.9	37.8	38.6	39.4	40.0	40.5
32.A/9	32.A/9	32.A/9	H	432.0	427.5	418.5	405.9	381.6	343.8	296.1	270.0	243.0	212.4	175.5
			P1	21.6	25.1	28.6	32.6	36.8	40.4	42.6	43.5	44.3	45.0	45.5
32.A/10	32.A/10	32.A/10	H	480.0	475.0	465.0	451.0	424.0	382.0	329.0	300.0	270.0	236.0	195.0
			P1	24.0	27.9	31.8	36.2	40.9	44.9	47.3	48.3	49.2	50.0	50.6
32.A/11	32.A/11	32.A/11	H	528.0	522.5	511.5	496.1	466.4	420.2	361.9	330.0	297.0	259.6	214.5
			P1	26.4	30.7	35.0	39.8	45.0	49.4	52.0	53.1	54.1	55.0	55.7
32.A/12	32.A/12	-	H	576.0	570.0	558.0	541.2	508.8	458.4	394.8	360.0	324.0	283.2	234.0
			P1	28.8	33.5	38.2	43.4	49.1	53.9	56.8	58.0	59.0	60.0	60.7
32.A/13	32.A/13	-	H	624.0	617.5	604.5	586.3	551.2	496.6	427.7	390.0	351.0	306.8	253.5
			P1	31.2	36.3	41.3	47.1	53.2	58.4	61.5	62.8	64.0	65.0	65.8
-	32.A/14	-	H	672.0	665.0	651.0	631.4	593.6	534.8	460.6	420.0	378.0	330.4	273.0
			P1	33.6	39.1	44.5	50.7	57.3	62.9	66.2	67.6	68.9	70.0	70.8
-	32.A/15	-	H	720.0	712.5	697.5	676.5	636.0	573.0	493.5	450.0	405.0	354.0	292.5
			P1	36.0	41.9	47.7	54.3	61.4	67.4	71.0	72.5	73.8	75.0	75.9
-	32.A/16	-	H	768.0	760.0	744.0	721.6	678.4	611.2	526.4	480.0	432.0	377.6	312.0
			P1	38.4	44.6	50.9	57.9	65.4	71.8	75.7	77.3	78.7	80.0	81.0
-	32.A/17	-	H	816.0	807.5	790.5	766.7	720.8	649.4	559.3	510.0	459.0	401.2	331.5
			P1	40.8	47.4	54.1	61.5	69.5	76.3	80.4	82.1	83.6	85.0	86.0
-	32.A/18	-	H	864.0	855.0	837.0	811.8	763.2	687.6	592.2	540.0	486.0	424.8	351.0
			P1	43.2	50.2	57.2	65.2	73.6	80.8	85.1	86.9	88.6	90.0	91.1
-	32.A/19	-	H	912.0	902.5	883.5	856.9	805.6	725.8	625.1	570.0	513.0	448.4	370.5
			P1	45.6	53.0	60.4	68.8	77.7	85.3	89.9	91.8	93.5	95.0	96.1
-	32.A/20	-	H	960.0	950.0	930.0	902.0	848.0	764.0	658.0	600.0	540.0	472.0	390.0
			P1	48.0	55.8	63.6	72.4	81.8	89.8	94.6	96.6	98.4	100.0	101.2



IMPELLER:
A = Ø 180 mm **C** = Ø 169 mm
B = Ø 174.5 mm **D** = Ø 164 mm
E = Ø 158.5 mm






Pump Type		Q											
HM - HMM	HMV	m³/h	0	2	5	7	10	12	14.6	16	17.0	18	19.5
HMVM - HMR	HMV	l/sec	0	0.7	1.4	2.0	2.7	3.4	4.1	4.4	4.7	5.1	5.4
32.AI/1	32.AI/1	H	11.4	11.2	11.0	10.7	10.0	9.0	7.8	7.1	6.4	5.6	4.6
		P1	0.28	0.32	0.37	0.42	0.47	0.52	0.54	0.56	0.57	0.58	0.58
32.AI/2	32.AI/2	H	22.7	22.5	22.0	21.3	20.1	18.1	15.6	14.2	12.8	11.2	9.2
		P1	0.55	0.64	0.73	0.83	0.9	1.03	1.09	1.11	1.13	1.15	1.16
32.AI/3	32.AI/3	H	34.1	33.7	33.0	32.0	30.1	27.1	23.4	21.3	19.2	16.7	13.8
		P1	0.83	0.96	1.10	1.25	1.41	1.55	1.63	1.67	1.70	1.73	1.75
32.AI/4	32.AI/4	H	45.4	45.0	44.0	42.7	40.1	36.1	31.1	28.4	25.6	22.3	18.5
		P1	1.10	1.28	1.46	1.67	1.88	2.07	2.18	2.22	2.26	2.30	2.33
32.AI/5	32.AI/5	H	56.8	56.2	55.0	53.3	50.2	45.2	38.9	35.5	31.9	27.9	23.1
		P1	1.38	1.61	1.83	2.08	2.35	2.58	2.72	2.78	2.83	2.88	2.91
32.AI/6	32.AI/6	H	68.1	67.4	66.0	64.0	60.2	54.2	46.7	42.6	38.3	33.5	27.7
		P1	1.66	1.93	2.20	2.50	2.82	3.10	3.27	3.33	3.40	3.45	3.49
32.AI/7	32.AI/7	H	79.5	78.7	77.0	74.7	70.2	63.3	54.5	49.7	44.7	39.1	32.3
		P1	1.93	2.25	2.56	2.92	3.29	3.62	3.81	3.89	3.96	4.03	4.08
32.AI/8	32.AI/8	H	90.8	89.9	88.0	85.4	80.2	72.3	62.3	56.8	51.1	44.7	36.9
		P1	2.21	2.57	2.93	3.33	3.77	4.13	4.35	4.45	4.53	4.60	4.66
32.AI/9	32.AI/9	H	102.2	101.1	99.0	96.0	90.3	81.3	70.1	63.9	57.5	50.2	41.5
		P1	2.49	2.89	3.29	3.75	4.24	4.65	4.90	5.00	5.10	5.18	5.24
32.AI/10	32.AI/10	H	113.6	112.4	110.0	106.7	100.3	90.4	77.8	71.0	63.9	55.8	46.1
		P1	2.76	3.21	3.66	4.17	4.71	5.17	5.44	5.56	5.66	5.75	5.82
32.AI/11	32.AI/11	H	124.9	123.6	121.0	117.4	110.3	99.4	85.6	78.1	70.3	61.4	50.7
		P1	3.04	3.53	4.03	4.58	5.18	5.68	5.99	6.11	6.23	6.33	6.40
32.AI/12	-	H	136.3	134.9	132.0	128.0	120.4	108.4	93.4	85.2	76.7	67.0	55.4
		P1	3.31	3.85	4.39	5.00	5.65	6.20	6.53	6.67	6.79	6.90	6.99
32.AI/13	-	H	147.6	146.1	143.0	138.7	130.4	117.5	101.2	92.3	83.0	72.6	60.0
		P1	3.59	4.17	4.76	5.42	6.12	6.72	7.08	7.23	7.36	7.48	7.57
32.AI/14	-	H	159.0	157.3	154.0	149.4	140.4	126.5	109.0	99.4	89.4	78.2	64.6
		P1	3.87	4.49	5.12	5.83	6.59	7.23	7.62	7.78	7.93	8.05	8.15
32.AI/15	-	H	170.3	168.6	165.0	160.0	150.5	135.6	116.8	106.5	95.8	83.7	69.2
		P1	4.14	4.82	5.49	6.25	7.06	7.75	8.16	8.34	8.49	8.63	8.73
32.AI/16	-	H	181.7	179.8	176.0	170.7	160.5	144.6	124.5	113.6	102.2	89.3	73.8
		P1	4.42	5.14	5.85	6.66	7.53	8.27	8.71	8.89	9.06	9.21	9.32
32.AI/17	-	H	193.0	191.0	187.0	181.4	170.5	153.6	132.3	120.7	108.6	94.9	78.4
		P1	4.69	5.46	6.22	7.08	8.00	8.78	9.25	9.45	9.62	9.78	9.90
32.AI/18	-	H	204.4	202.3	198.0	192.1	180.6	162.7	140.1	127.8	115.0	100.5	83.0
		P1	4.97	5.78	6.59	7.50	8.47	9.30	9.80	10.00	10.19	10.36	10.48
32.AI/19	-	H	215.8	213.5	209.0	202.7	190.6	171.7	147.9	134.9	121.4	106.1	87.7
		P1	5.25	6.10	6.95	7.91	8.94	9.82	10.34	10.56	10.76	10.93	11.06
32.AI/20	-	H	227.1	224.8	220.0	213.4	200.6	180.7	155.7	141.9	127.8	111.7	92.3
		P1	5.52	6.42	7.32	8.33	9.41	10.33	10.89	11.12	11.32	11.51	11.65
32.AI/21	-	H	238.5	236.0	231.0	224.1	210.7	189.8	163.5	149.0	134.1	117.2	96.9
		P1	5.80	6.74	7.68	8.75	9.88	10.85	11.43	11.67	11.89	12.08	12.23
32.AI/22	-	H	249.8	247.2	242.0	234.7	220.7	198.8	171.2	156.1	140.5	122.8	101.5
		P1	6.08	7.06	8.05	9.16	10.35	11.37	11.97	12.23	12.46	12.66	12.81
32.AI/23	-	H	261.2	258.5	253.0	245.4	230.7	207.9	179.0	163.2	146.9	128.4	106.1
		P1	6.35	7.38	8.42	9.58	10.82	11.88	12.52	12.78	13.02	13.23	13.39
32.AI/24	-	H	272.5	269.7	264.0	256.1	240.7	216.9	186.8	170.3	153.3	134.0	110.7
		P1	6.63	7.71	8.78	10.00	11.30	12.40	13.06	13.34	13.59	13.81	13.97
32.AI/25	-	H	283.9	280.9	275.0	266.7	250.8	225.9	194.6	177.4	159.7	139.6	115.3
		P1	6.90	8.03	9.15	10.41	11.77	12.92	13.61	13.89	14.15	14.38	14.56



IMPELLER:

- A = Ø 180 mm
- B = Ø 174.5 mm
- C = Ø 169 mm
- D = Ø 164 mm
- E = Ø 158.5 mm






inox

Pump Type			Q											
HM - HMM	HMR	HMV	m³/h	0	5	10	15	20	25	30	33	35	38	40
HMVM			l/sec	0	1.4	2.8	4.2	5.6	6.9	8.3	9.0	9.7	10.4	11.1
32.AI/1	32.AI/1	32.AI/1	H	48.0	47.9	47.8	47.4	46.0	42.7	37.8	35.0	32.0	28.8	25.0
			P1	3.30	3.60	3.90	4.30	4.75	5.30	5.85	6.10	6.35	6.60	6.80
32.AI/2	32.AI/2	32.AI/2	H	96.0	95.8	95.6	94.8	92.0	85.4	75.6	70.0	64.0	57.6	50.0
			P1	6.6	7.2	7.8	8.6	9.5	10.6	11.7	12.2	12.7	13.2	13.6
32.AI/3	32.AI/3	32.AI/3	H	144.0	143.7	143.4	142.2	138.0	128.1	113.4	105.0	96.0	86.4	75.0
			P1	9.9	10.8	11.7	12.9	14.3	15.9	17.6	18.3	19.1	19.8	20.4
32.AI/4	32.AI/4	32.AI/4	H	192.0	191.6	191.2	189.6	184.0	170.8	151.2	140.0	128.0	115.2	100.0
			P1	13.2	14.4	15.6	17.2	19.0	21.2	23.4	24.4	25.4	26.4	27.2
32.AI/5	32.AI/5	32.AI/5	H	240.0	239.5	239.0	237.0	230.0	213.5	189.0	175.0	160.0	144.0	125.0
			P1	16.5	18.0	19.5	21.5	23.8	26.5	29.3	30.5	31.8	33.0	34.0
32.AI/6	32.AI/6	32.AI/6	H	288.0	287.4	286.8	284.4	276.0	256.2	226.8	210.0	192.0	172.8	150.0
			P1	19.8	21.6	23.4	25.8	28.5	31.8	35.1	36.6	38.1	39.6	40.8
32.AI/7	32.AI/7	32.AI/7	H	336.0	335.3	334.6	331.8	322.0	298.9	264.6	245.0	224.0	201.6	175.0
			P1	23.1	25.2	27.3	30.1	33.3	37.1	41.0	42.7	44.5	46.2	47.6
32.AI/8	32.AI/8	32.AI/8	H	384.0	383.2	382.4	379.2	368.0	341.6	302.4	280.0	256.0	230.4	200.0
			P1	26.4	28.8	31.2	34.4	38.0	42.4	46.8	48.8	50.8	52.8	54.4
32.AI/9	32.AI/9	32.AI/9	H	432.0	431.1	430.2	426.6	414.0	384.3	340.2	315.0	288.0	259.2	225.0
			P1	29.7	32.4	35.1	38.7	42.8	47.7	52.7	54.9	57.2	59.4	61.2
32.AI/10	32.AI/10	32.AI/10	H	480.0	479.0	478.0	474.0	460.0	427.0	378.0	350.0	320.0	288.0	250.0
			P1	33.0	36.0	39.0	43.0	47.5	53.0	58.5	61.0	63.5	66.0	68.0
32.AI/11	32.AI/11	32.AI/11	H	528.0	526.9	525.8	521.4	506.0	469.7	415.8	385.0	352.0	316.8	275.0
			P1	36.3	39.6	42.9	47.3	52.3	58.3	64.4	67.1	69.9	72.6	74.8
32.AI/12	32.AI/12	-	H	576.0	574.8	573.6	568.8	552.0	512.4	453.6	420.0	384.0	345.6	300.0
			P1	39.6	43.2	46.8	51.6	57.0	63.6	70.2	73.2	76.2	79.2	81.6
32.AI/13	32.AI/13	-	H	624.0	622.7	621.4	616.2	598.0	555.1	491.4	455.0	416.0	374.4	325.0
			P1	42.9	46.8	50.7	55.9	61.8	68.9	76.1	79.3	82.6	85.8	88.4
-	32.AI/14	-	H	672.0	670.6	669.2	663.6	644.0	597.8	529.2	490.0	448.0	403.2	350.0
			P1	46.2	50.4	54.6	60.2	66.5	74.2	81.9	85.4	88.9	92.4	95.2
-	32.AI/15	-	H	720.0	718.5	717.0	711.0	690.0	640.5	567.0	525.0	480.0	432.0	375.0
			P1	49.5	54.0	58.5	64.5	71.3	79.5	87.8	91.5	95.3	99.0	102.0
-	32.AI/16	-	H	768.0	766.4	764.8	758.4	736.0	683.2	604.8	560.0	512.0	460.8	400.0
			P1	52.8	57.6	62.4	68.8	76.0	84.8	93.6	97.6	101.6	105.6	108.8
-	32.AI/17	-	H	816.0	814.3	812.6	805.8	782.0	725.9	642.6	595.0	544.0	489.6	425.0
			P1	56.1	61.2	66.3	73.1	80.8	90.1	99.5	103.7	108.0	112.2	115.6
-	32.AI/18	-	H	864.0	862.2	860.4	853.2	828.0	768.6	680.4	630.0	576.0	518.4	450.0
			P1	59.4	64.8	70.2	77.4	85.5	95.4	105.3	109.8	114.3	118.8	122.4
-	32.AI/19	-	H	912.0	910.1	908.2	900.6	874.0	811.3	718.2	665.0	608.0	547.2	475.0
			P1	62.7	68.4	74.1	81.7	90.3	100.7	111.2	115.9	120.7	125.4	129.2
-	32.AI/20	-	H	960.0	958.0	956.0	948.0	920.0	854.0	756.0	700.0	640.0	576.0	500.0
			P1	66.0	72.0	78.0	86.0	95.0	106.0	117.0	122.0	127.0	132.0	136.0



inox

- IMPELLER:**
- A** = Ø 180 mm
 - B** = Ø 174.5 mm
 - C** = Ø 169 mm
 - D** = Ø 164 mm
 - E** = Ø 158.5 mm





inox

Pump Type		Q												
HM - HMM	HMVM - HMR	HMV	m³/h	0	2	5	7	10	12	14.6	16	17.0	18	19.5
			l/sec	0	0.7	1.4	2.0	2.7	3.4	4.1	4.4	4.7	5.1	5.4
32.AI/1	32.AI/1	H (m) — P1 (kW)	H	11.4	11.3	11.3	11.2	10.9	10.1	8.9	8.3	7.6	6.8	5.9
			P1	0.38	0.41	0.45	0.49	0.55	0.61	0.67	0.70	0.73	0.76	0.78
32.AI/2	32.AI/2		H	22.7	22.7	22.6	22.4	21.8	20.2	17.9	16.6	15.1	13.6	11.8
			P1	0.76	0.83	0.90	0.99	1.1	1.22	1.35	1.40	1.46	1.52	1.56
32.AI/3	32.AI/3		H	34.1	34.0	33.9	33.6	32.6	30.3	26.8	24.8	22.7	20.4	17.7
			P1	1.14	1.24	1.35	1.48	1.64	1.83	2.02	2.11	2.19	2.28	2.35
32.AI/4	32.AI/4		H	45.4	45.3	45.2	44.9	43.5	40.4	35.8	33.1	30.3	27.3	23.7
			P1	1.52	1.66	1.80	1.98	2.19	2.44	2.69	2.81	2.92	3.04	3.13
32.AI/5	32.AI/5		H	56.8	56.7	56.5	56.1	54.4	50.5	44.7	41.4	37.9	34.1	29.6
			P1	1.90	2.07	2.24	2.47	2.73	3.05	3.37	3.51	3.65	3.80	3.91
32.AI/6	32.AI/6		H	68.1	68.0	67.9	67.3	65.3	60.6	53.7	49.7	45.4	40.9	35.5
			P1	2.28	2.49	2.69	2.97	3.28	3.66	4.04	4.21	4.38	4.56	4.69
32.AI/7	32.AI/7		H	79.5	79.3	79.2	78.5	76.2	70.7	62.6	58.0	53.0	47.7	41.4
			P1	2.66	2.90	3.14	3.46	3.83	4.27	4.71	4.91	5.11	5.32	5.48
32.AI/8	32.AI/8		H	90.8	90.7	90.5	89.7	87.1	80.8	71.5	66.2	60.6	54.5	47.3
			P1	3.04	3.31	3.59	3.96	4.37	4.88	5.39	5.62	5.85	6.08	6.26
32.AI/9	32.AI/9		H	102.2	102.0	101.8	100.9	97.9	90.9	80.5	74.5	68.1	61.3	53.2
			P1	3.42	3.73	4.04	4.45	4.92	5.49	6.06	6.32	6.58	6.84	7.04
32.AI/10	32.AI/10		H	113.6	113.3	113.1	112.1	108.8	101.0	89.4	82.8	75.7	68.1	59.1
			P1	3.80	4.14	4.49	4.95	5.47	6.10	6.73	7.02	7.31	7.59	7.82
32.AI/11	32.AI/11		H	124.9	124.7	124.4	123.4	119.7	111.1	98.4	91.1	83.3	74.9	65.1
			P1	4.18	4.56	4.94	5.44	6.01	6.71	7.40	7.72	8.04	8.35	8.61
32.AI/12	-		H	136.3	136.0	135.7	134.6	130.6	121.2	107.3	99.4	90.8	81.8	71.0
			P1	4.56	4.97	5.39	5.94	6.56	7.32	8.08	8.42	8.77	9.11	9.39
32.AI/13	-		H	147.6	147.3	147.0	145.8	141.5	131.3	116.3	107.6	98.4	88.6	76.9
		P1	4.94	5.39	5.83	6.43	7.11	7.93	8.75	9.13	9.50	9.87	10.17	
32.AI/14	-	H	159.0	158.7	158.3	157.0	152.4	141.4	125.2	115.9	106.0	95.4	82.8	
		P1	5.32	5.80	6.28	6.93	7.65	8.54	9.42	9.83	10.23	10.63	10.95	
32.AI/15	-	H	170.3	170.0	169.6	168.2	163.2	151.5	134.1	124.2	113.6	102.2	88.7	
		P1	5.70	6.21	6.73	7.42	8.20	9.15	10.10	10.53	10.96	11.39	11.74	
32.AI/16	-	H	181.7	181.3	180.9	179.4	174.1	161.6	143.1	132.5	121.1	109.0	94.6	
		P1	6.08	6.63	7.18	7.92	8.75	9.76	10.77	11.23	11.69	12.15	12.52	
32.AI/17	-	H	193.0	192.6	192.2	190.6	185.0	171.7	152.0	140.8	128.7	115.8	100.5	
		P1	6.46	7.04	7.63	8.41	9.29	10.37	11.44	11.93	12.42	12.91	13.30	
32.AI/18	-	H	204.4	204.0	203.6	201.8	195.9	181.8	161.0	149.0	136.3	122.6	106.5	
		P1	6.84	7.46	8.08	8.91	9.84	10.98	12.12	12.63	13.15	13.67	14.08	
32.AI/19	-	H	215.8	215.3	214.9	213.1	206.8	191.9	169.9	157.3	143.8	129.5	112.4	
		P1	7.21	7.87	8.53	9.40	10.39	11.59	12.79	13.34	13.88	14.43	14.87	
32.AI/20	-	H	227.1	226.6	226.2	224.3	217.7	202.0	178.9	165.6	151.4	136.3	118.3	
		P1	7.59	8.29	8.98	9.90	10.93	12.20	13.46	14.04	14.61	15.19	15.65	
32.AI/21	-	H	238.5	238.0	237.5	235.5	228.5	212.1	187.8	173.9	159.0	143.1	124.2	
		P1	7.97	8.70	9.42	10.39	11.48	12.81	14.14	14.74	15.34	15.95	16.43	
32.AI/22	-	H	249.8	249.3	248.8	246.7	239.4	222.2	196.7	182.2	166.6	149.9	130.1	
		P1	8.35	9.11	9.87	10.89	12.02	13.42	14.81	15.44	16.08	16.71	17.21	
32.AI/23	-	H	261.2	260.6	260.1	257.9	250.3	232.3	205.7	190.4	174.1	156.7	136.0	
		P1	8.73	9.53	10.32	11.38	12.57	14.03	15.48	16.14	16.81	17.47	18.00	
32.AI/24	-	H	272.5	272.0	271.4	269.1	261.2	242.4	214.6	198.7	181.7	163.5	141.9	
		P1	9.11	9.94	10.77	11.88	13.12	14.64	16.16	16.85	17.54	18.23	18.78	
32.AI/25	-	H	283.9	283.3	282.7	280.3	272.1	252.5	223.6	207.0	189.3	170.3	147.9	
		P1	9.49	10.36	11.22	12.37	13.66	15.25	16.83	17.55	18.27	18.99	19.56	



inox

IMPELLER:

- A** = Ø 180 mm
- B** = Ø 174.5 mm
- C** = Ø 169 mm
- D** = Ø 164 mm
- E** = Ø 158.5 mm

