

Pump Type	kW	Q											
			m³/h	0	42	84	129	171	213	255	300	342	384
			l/sec	0	11.7	23.3	35.8	47.5	59.2	70.8	83.3	95.0	106.7
			l/min	0	700	1400	2150	2850	3550	4250	5000	5700	6400
<b>PZ146A/24/1L</b>	11	H (m) — P1 (kW) Hi: total manometer head. P1: power absorbed from the pump.	H	19.3	17.9	16.7	15.4	14.0	12.2	9.6	--	--	--
<b>P1</b>	<b>6.6</b>		<b>6.6</b>	<b>7.2</b>	<b>8.1</b>	<b>8.9</b>	<b>9.3</b>	<b>9.1</b>	--	--	--		
<b>PZ146A/24/1F</b>	15		H	22.7	21.2	20.0	18.7	17.5	16.0	14.0	11.2	--	--
<b>P1</b>	<b>8.9</b>		<b>8.9</b>	<b>9.5</b>	<b>10.4</b>	<b>11.4</b>	<b>12.2</b>	<b>12.7</b>	<b>12.4</b>	--	--		
<b>PZ146A/24/1C</b>	18.5		H	25.2	23.7	22.4	21.2	20.0	18.6	16.9	14.6	11.7	--
<b>P1</b>	<b>10.9</b>		<b>10.8</b>	<b>11.4</b>	<b>12.3</b>	<b>13.4</b>	<b>14.4</b>	<b>15.2</b>	<b>15.4</b>	<b>14.9</b>	--		
<b>PZ146A/24/1</b>	18.5		H	26.8	25.3	24.0	22.8	21.6	20.3	18.7	16.6	14.1	10.9
<b>P1</b>	<b>12.3</b>		<b>12.2</b>	<b>12.8</b>	<b>13.8</b>	<b>14.9</b>	<b>16.0</b>	<b>16.9</b>	<b>17.4</b>	<b>17.3</b>	<b>16.2</b>		
<b>PZ146A/24/2L</b>	22		H	38.7	35.8	33.4	30.9	28.0	24.3	19.2	--	--	--
<b>P1</b>	<b>13.2</b>		<b>13.2</b>	<b>14.4</b>	<b>16.2</b>	<b>17.7</b>	<b>18.6</b>	<b>18.3</b>	--	--	--		
<b>PZ146A/30/2F</b>	30		H	45.4	42.4	39.9	37.5	35.0	31.9	28.0	22.4	--	--
<b>P1</b>	<b>17.9</b>		<b>17.8</b>	<b>18.9</b>	<b>20.9</b>	<b>22.8</b>	<b>24.5</b>	<b>25.3</b>	<b>24.7</b>	--	--		
<b>PZ146A/30/2C</b>	37		H	50.3	47.3	44.8	42.3	40.0	37.2	33.8	29.1	23.5	--
<b>P1</b>	<b>21.8</b>		<b>21.6</b>	<b>22.7</b>	<b>24.7</b>	<b>26.8</b>	<b>28.9</b>	<b>30.3</b>	<b>30.8</b>	<b>29.7</b>	--		
<b>PZ146A/30/2</b>	37		H	53.6	50.6	48.0	45.5	43.2	40.6	37.4	33.2	28.1	21.8
<b>P1</b>	<b>24.7</b>		<b>24.5</b>	<b>25.5</b>	<b>27.5</b>	<b>29.8</b>	<b>32.1</b>	<b>33.9</b>	<b>34.9</b>	<b>34.5</b>	<b>32.5</b>		
<b>PZ146A/30/3L</b>	30		H	58.0	53.6	50.1	46.3	42.1	36.5	28.8	--	--	--
<b>P1</b>	<b>19.8</b>		<b>19.9</b>	<b>21.6</b>	<b>24.3</b>	<b>26.6</b>	<b>28.0</b>	<b>27.4</b>	--	--	--		
<b>PZ146A/30/3F</b>	45		H	68.1	63.6	59.9	56.2	52.5	47.9	42.0	33.6	--	--
<b>P1</b>	<b>26.8</b>		<b>26.7</b>	<b>28.4</b>	<b>31.3</b>	<b>34.2</b>	<b>36.7</b>	<b>38.0</b>	<b>37.1</b>	--	--		
<b>PZ146A/35/3C</b>	55	H	75.5	71.0	67.2	63.5	59.9	55.8	50.7	43.7	35.2	--	
<b>P1</b>	<b>32.7</b>	<b>32.5</b>	<b>34.1</b>	<b>37.0</b>	<b>40.3</b>	<b>43.3</b>	<b>45.5</b>	<b>46.2</b>	<b>44.6</b>	--			
<b>PZ146A/35/3</b>	55	H	80.4	75.9	72.0	68.3	64.8	60.8	56.1	49.7	42.2	32.7	
<b>P1</b>	<b>37.0</b>	<b>36.7</b>	<b>38.3</b>	<b>41.3</b>	<b>44.7</b>	<b>48.1</b>	<b>50.8</b>	<b>52.3</b>	<b>51.8</b>	<b>48.7</b>			
<b>PZ146A/35/4F</b>	55	H	90.8	84.8	79.9	75.0	70.0	63.9	56.0	44.8	--	--	
<b>P1</b>	<b>35.8</b>	<b>35.7</b>	<b>37.9</b>	<b>41.7</b>	<b>45.7</b>	<b>48.9</b>	<b>50.6</b>	<b>49.5</b>	--	--			
<b>PZ146A/35/4C</b>	75	H	100.7	94.7	89.6	84.7	79.9	74.4	67.6	58.2	46.9	--	
<b>P1</b>	<b>43.6</b>	<b>43.3</b>	<b>45.4</b>	<b>49.4</b>	<b>53.7</b>	<b>57.8</b>	<b>60.7</b>	<b>61.6</b>	<b>59.4</b>	--			
<b>PZ146A/35/4</b>	75	H	107.2	101.1	96.0	91.1	86.4	81.1	74.8	66.3	56.2	43.6	
<b>P1</b>	<b>49.4</b>	<b>49.0</b>	<b>51.0</b>	<b>55.1</b>	<b>59.6</b>	<b>64.1</b>	<b>67.8</b>	<b>69.8</b>	<b>69.0</b>	<b>64.9</b>			
<b>PZ148A/40/5C</b>	90	H	125.9	118.3	112.0	105.9	99.9	93.0	84.5	72.8	58.6	--	
<b>P1</b>	<b>54.5</b>	<b>54.1</b>	<b>56.8</b>	<b>61.7</b>	<b>67.1</b>	<b>72.2</b>	<b>75.9</b>	<b>77.0</b>	<b>74.3</b>	--			
<b>PZ148A/40/5</b>	90	H	134.0	126.4	120.0	113.8	108.0	101.4	93.5	82.9	70.3	54.5	
<b>P1</b>	<b>61.7</b>	<b>61.2</b>	<b>63.8</b>	<b>68.8</b>	<b>74.5</b>	<b>80.1</b>	<b>84.7</b>	<b>87.2</b>	<b>86.3</b>	<b>81.2</b>			
<b>PZ148A/40/6</b>	110	H	160.8	151.7	144.1	136.6	129.6	121.7	112.2	99.5	84.4	65.4	
<b>P1</b>	<b>74.0</b>	<b>73.5</b>	<b>76.6</b>	<b>82.6</b>	<b>89.4</b>	<b>96.2</b>	<b>101.6</b>	<b>104.7</b>	<b>103.5</b>	<b>97.4</b>			
<b>PZ148A/45/7</b>	132	H	187.6	177.0	168.1	159.4	151.2	142.0	130.9	116.1	98.4	76.3	
<b>P1</b>	<b>86.4</b>	<b>85.7</b>	<b>89.3</b>	<b>96.3</b>	<b>104.3</b>	<b>112.2</b>	<b>118.6</b>	<b>122.1</b>	<b>120.8</b>	<b>113.6</b>			
<b>PZ148A/45/8</b>	160	H	214.4	202.3	192.1	182.1	172.8	162.3	149.6	132.6	112.5	87.2	
<b>P1</b>	<b>98.7</b>	<b>97.9</b>	<b>102.1</b>	<b>110.1</b>	<b>119.2</b>	<b>128.2</b>	<b>135.5</b>	<b>139.6</b>	<b>138.1</b>	<b>129.8</b>			
<b>PZ148A/45/9</b>	160	H	241.2	227.6	216.1	204.9	194.4	182.5	168.3	149.2	126.5	98.1	
<b>P1</b>	<b>111.1</b>	<b>110.2</b>	<b>114.8</b>	<b>123.9</b>	<b>134.1</b>	<b>144.3</b>	<b>152.5</b>	<b>157.0</b>	<b>155.3</b>	<b>146.1</b>			

## — ACCESSORIES FEATURES —

Motor power kW	Motor Size	Axis line	Drive unit	Base	Flange discharge	Foot valve	Strainer
5.5 - 7.5	132	LA 6/24	ME150/24	PZ 150	DN 150 - PN 16	VF9"	SU9"
11 - 15	160						
18.5 - 22	180						
30	200						
37 - 45	225						
55	250	LA 6/30	ME150/30	PZ 200	DN 200 - PN 25	VF9"	SU9"
75	280	LA 6/35	ME150/35				
90	315	LA 8/40	ME200.7/40				
110		ME200.8/40					
132		LA 8/45	ME200.8/45				
160		ME200.8/50	PZ 250	DN 250 - PN 25			




POMPE ZANNI®

PERFORMANCE CURVES

PZ14A - 1480 RPM

50 Hz - VERTICAL AXIS MULTISTAGE CENTRIFUGAL PUMPS



14 INCH

Pump Type	kW	Q	m³/h	0	66	132	201	267	333	399	468	534	600
			l/sec	0	18.3	36.7	55.8	74.2	92.5	110.8	130.0	148.3	166.7
			l/min	0	1100	2200	3350	4450	5550	6650	7800	8900	10000

Pump Type	kW	H (m) — P1 (kW)	H	P1									
				19.0	18.0	17.0	15.6	13.8	11.2	7.5	--	--	--
PZ1410B/30/1L	15		P1	<b>9.0</b>	<b>9.8</b>	<b>10.9</b>	<b>12.1</b>	<b>13.0</b>	<b>13.4</b>	<b>13.1</b>	--	--	--
PZ1410B/30/1F	18.5		H	22.3	21.3	20.3	19.0	17.5	15.5	12.7	8.8	--	--
			P1	<b>12.2</b>	<b>13.1</b>	<b>14.3</b>	<b>15.7</b>	<b>16.9</b>	<b>17.8</b>	<b>18.2</b>	<b>17.8</b>	--	--
PZ1410B/30/1C	30		H	24.8	23.7	22.7	21.5	20.2	18.4	16.0	12.8	8.8	--
			P1	<b>14.9</b>	<b>15.8</b>	<b>17.1</b>	<b>18.6</b>	<b>20.1</b>	<b>21.2</b>	<b>22.0</b>	<b>22.1</b>	<b>21.4</b>	--
PZ1410B/30/1	30		H	26.4	25.3	24.3	23.2	21.9	20.2	18.1	15.2	11.6	7.1
			P1	<b>16.9</b>	<b>17.9</b>	<b>19.2</b>	<b>20.8</b>	<b>22.4</b>	<b>23.7</b>	<b>24.7</b>	<b>25.1</b>	<b>24.8</b>	<b>23.6</b>
PZ1410B/30/2L	30		H	38.1	36.0	33.9	31.2	27.5	22.3	15.0	--	--	--
			P1	<b>18.1</b>	<b>19.6</b>	<b>21.8</b>	<b>24.2</b>	<b>26.0</b>	<b>26.9</b>	<b>26.2</b>	--	--	--
PZ1410B/30/2F	37		H	44.7	42.6	40.5	38.1	35.1	31.0	25.4	17.7	--	--
			P1	<b>24.5</b>	<b>26.2</b>	<b>28.7</b>	<b>31.4</b>	<b>33.9</b>	<b>35.7</b>	<b>36.4</b>	<b>35.6</b>	--	--
PZ1410B/30/2C	45		H	49.6	47.4	45.4	43.1	40.3	36.8	32.1	25.6	17.6	--
			P1	<b>29.8</b>	<b>31.7</b>	<b>34.3</b>	<b>37.3</b>	<b>40.1</b>	<b>42.5</b>	<b>44.0</b>	<b>44.3</b>	<b>42.8</b>	--
PZ1410B/30/2	55		H	52.8	50.6	48.6	46.3	43.7	40.4	36.1	30.3	23.2	14.2
			P1	<b>33.8</b>	<b>35.7</b>	<b>38.4</b>	<b>41.6</b>	<b>44.7</b>	<b>47.4</b>	<b>49.4</b>	<b>50.2</b>	<b>49.6</b>	<b>47.1</b>
PZ1410B/30/3L	45		H	57.1	54.0	50.9	46.8	41.3	33.5	22.6	--	--	--
			P1	<b>27.1</b>	<b>29.4</b>	<b>32.7</b>	<b>36.3</b>	<b>39.0</b>	<b>40.3</b>	<b>39.4</b>	--	--	--
PZ1410B/35/3F	55		H	67.0	63.8	60.8	57.1	52.6	46.4	38.1	26.5	--	--
			P1	<b>36.7</b>	<b>39.3</b>	<b>43.0</b>	<b>47.1</b>	<b>50.8</b>	<b>53.5</b>	<b>54.6</b>	<b>53.4</b>	--	--
PZ1410B/35/3C	75		H	74.4	71.1	68.1	64.6	60.5	55.2	48.1	38.4	26.4	--
			P1	<b>44.7</b>	<b>47.5</b>	<b>51.4</b>	<b>55.9</b>	<b>60.2</b>	<b>63.7</b>	<b>66.0</b>	<b>66.4</b>	<b>64.3</b>	--
PZ1410B/40/3	90		H	79.2	75.9	72.9	69.5	65.6	60.6	54.2	45.5	34.8	21.3
			P1	<b>50.7</b>	<b>53.6</b>	<b>57.7</b>	<b>62.5</b>	<b>67.1</b>	<b>71.1</b>	<b>74.1</b>	<b>75.4</b>	<b>74.4</b>	<b>70.7</b>
PZ1410B/40/4F	75		H	89.4	85.1	81.1	76.2	70.1	61.9	50.8	35.3	--	--
			P1	<b>49.0</b>	<b>52.5</b>	<b>57.3</b>	<b>62.9</b>	<b>67.8</b>	<b>71.4</b>	<b>72.8</b>	<b>71.2</b>	--	--
PZ1410B/40/4C	90		H	99.1	94.9	90.8	86.2	80.7	73.5	64.1	51.2	35.2	--
			P1	<b>59.6</b>	<b>63.4</b>	<b>68.5</b>	<b>74.6</b>	<b>80.2</b>	<b>85.0</b>	<b>88.0</b>	<b>88.5</b>	<b>85.7</b>	--
PZ1410B/40/4	110		H	105.5	101.2	97.2	92.7	87.5	80.8	72.3	60.6	46.3	28.5
			P1	<b>67.6</b>	<b>71.5</b>	<b>76.9</b>	<b>83.3</b>	<b>89.4</b>	<b>94.8</b>	<b>98.7</b>	<b>100.5</b>	<b>99.2</b>	<b>94.2</b>
PZ1410B/45/5C	132		H	123.9	118.6	113.5	107.7	100.8	91.9	80.2	64.0	44.0	--
			P1	<b>74.5</b>	<b>79.2</b>	<b>85.7</b>	<b>93.2</b>	<b>100.3</b>	<b>106.2</b>	<b>110.0</b>	<b>110.6</b>	<b>107.1</b>	--
PZ1410B/45/5	132		H	131.9	126.6	121.5	115.8	109.3	101.0	90.3	75.8	57.9	35.6
			P1	<b>84.5</b>	<b>89.4</b>	<b>96.1</b>	<b>104.1</b>	<b>111.8</b>	<b>118.5</b>	<b>123.4</b>	<b>125.6</b>	<b>124.0</b>	<b>117.8</b>
PZ1410B/45/6	160		H	158.3	151.9	145.8	139.0	131.2	121.3	108.4	90.9	69.5	42.7
			P1	<b>101.3</b>	<b>107.2</b>	<b>115.3</b>	<b>124.9</b>	<b>134.1</b>	<b>142.2</b>	<b>148.1</b>	<b>150.7</b>	<b>148.8</b>	<b>141.3</b>
PZ1410B/45/7C	160		H	173.5	166.0	158.9	150.8	141.2	128.7	112.2	89.6	61.6	--
			P1	<b>104.3</b>	<b>110.9</b>	<b>119.9</b>	<b>130.5</b>	<b>140.4</b>	<b>148.7</b>	<b>154.0</b>	<b>154.9</b>	<b>149.9</b>	--
PZ1410B/45/8E	160		H	186.6	178.1	169.9	160.4	148.8	133.3	112.6	83.9	--	--
			P1	<b>106.3</b>	<b>113.4</b>	<b>123.4</b>	<b>134.9</b>	<b>145.4</b>	<b>153.5</b>	<b>157.8</b>	<b>156.3</b>	--	--

 H: total manometer head.  
P1: power absorbed from the pump.

## — ACCESSORIES FEATURES —

Motor power kW	Motor Size	Axis line	Drive unit	Base	Flange discharge	Foot valve	Strainer
11 - 15	160	LA 10/30	ME250/30	PZ 250	DN 250 - PN 25	VF9"	SUG"
18.5 - 22	180						
30	200						
37 - 45	225						
55	250	LA 10/35	ME250/35				
75	280						
90							
110	315	LA 10/40	ME250/40				
132							
160							

14 INCH




POMPE ZANNI®

PERFORMANCE CURVES

PZ14B - 1480 RPM

50 Hz - VERTICAL AXIS MULTISTAGE CENTRIFUGAL PUMPS



Pump Type	kW	Q	m³/h	0	78	156	234	312	387	465	543	621	699
			l/sec	0	21.7	43.3	65.0	86.7	107.5	129.2	150.8	172.5	194.2
			l/min	0	1300	2600	3900	5200	6450	7750	9050	10350	11650

Pump Type	kW	H (m) — P1 (kW)	H	P1: power absorbed from the pump.									
				18.3	17.0	16.0	14.8	13.0	10.4	6.2	--	--	--
<b>PZ1410C/30/1L</b>	15		<b>P1</b>	<b>10.1</b>	<b>10.8</b>	<b>11.9</b>	<b>13.1</b>	<b>14.0</b>	<b>14.4</b>	<b>14.0</b>	--	--	--
<b>PZ1410C/30/1F</b>	22		<b>P1</b>	<b>13.7</b>	<b>14.5</b>	<b>15.8</b>	<b>17.1</b>	<b>18.4</b>	<b>19.2</b>	<b>19.6</b>	<b>19.1</b>	--	--
<b>PZ1410C/30/1C</b>	30		<b>P1</b>	<b>16.7</b>	<b>17.6</b>	<b>18.9</b>	<b>20.4</b>	<b>21.8</b>	<b>23.0</b>	<b>23.8</b>	<b>23.9</b>	<b>23.1</b>	--
<b>PZ1410C/30/1</b>	30		<b>P1</b>	<b>18.8</b>	<b>19.8</b>	<b>21.1</b>	<b>22.7</b>	<b>24.3</b>	<b>25.6</b>	<b>26.6</b>	<b>27.0</b>	<b>26.5</b>	<b>4.8</b>
<b>PZ1410C/30/2L</b>	30		<b>P1</b>	<b>20.1</b>	<b>21.6</b>	<b>23.8</b>	<b>26.1</b>	<b>28.0</b>	<b>28.7</b>	<b>28.0</b>	--	--	--
<b>PZ1410C/30/2F</b>	45		<b>P1</b>	<b>27.4</b>	<b>29.1</b>	<b>31.5</b>	<b>34.2</b>	<b>36.7</b>	<b>38.5</b>	<b>39.2</b>	<b>38.2</b>	--	--
<b>PZ1410C/35/2C</b>	55		<b>P1</b>	<b>33.4</b>	<b>35.2</b>	<b>37.8</b>	<b>40.8</b>	<b>43.7</b>	<b>46.0</b>	<b>47.5</b>	<b>47.7</b>	<b>46.1</b>	--
<b>PZ1410C/35/2</b>	55		<b>P1</b>	<b>37.7</b>	<b>39.6</b>	<b>42.3</b>	<b>45.4</b>	<b>48.5</b>	<b>51.2</b>	<b>53.1</b>	<b>53.9</b>	<b>53.1</b>	<b>9.6</b>
<b>PZ1410C/35/3L</b>	45		<b>P1</b>	<b>30.2</b>	<b>32.4</b>	<b>35.7</b>	<b>39.2</b>	<b>42.0</b>	<b>43.1</b>	<b>42.0</b>	--	--	--
<b>PZ1410C/35/3F</b>	75		<b>P1</b>	<b>41.1</b>	<b>43.6</b>	<b>47.3</b>	<b>51.3</b>	<b>55.1</b>	<b>57.7</b>	<b>58.8</b>	<b>57.3</b>	--	--
<b>PZ1410C/35/3C</b>	75		<b>P1</b>	<b>50.2</b>	<b>52.9</b>	<b>56.7</b>	<b>61.2</b>	<b>65.5</b>	<b>69.0</b>	<b>71.3</b>	<b>71.6</b>	<b>69.2</b>	--
<b>PZ1410C/40/3</b>	90		<b>P1</b>	<b>56.5</b>	<b>59.3</b>	<b>63.4</b>	<b>68.1</b>	<b>72.8</b>	<b>76.7</b>	<b>79.7</b>	<b>80.9</b>	<b>79.6</b>	<b>14.4</b>
<b>PZ1410C/40/4F</b>	90		<b>P1</b>	<b>54.8</b>	<b>58.1</b>	<b>63.0</b>	<b>68.4</b>	<b>73.5</b>	<b>77.0</b>	<b>78.3</b>	<b>76.4</b>	--	--
<b>PZ1410C/40/4C</b>	110		<b>P1</b>	<b>66.9</b>	<b>70.5</b>	<b>75.7</b>	<b>81.6</b>	<b>87.4</b>	<b>92.1</b>	<b>95.1</b>	<b>95.4</b>	<b>92.2</b>	--
<b>PZ1410C/40/4</b>	110		<b>P1</b>	<b>75.4</b>	<b>79.1</b>	<b>84.5</b>	<b>90.8</b>	<b>97.0</b>	<b>102.3</b>	<b>106.3</b>	<b>107.8</b>	<b>106.1</b>	<b>100.4</b>
<b>PZ1410C/45/5C</b>	132		<b>P1</b>	<b>83.6</b>	<b>88.1</b>	<b>94.6</b>	<b>102.0</b>	<b>109.2</b>	<b>115.1</b>	<b>118.9</b>	<b>119.3</b>	<b>115.3</b>	--
<b>PZ1410C/45/5</b>	160		<b>P1</b>	<b>94.2</b>	<b>98.9</b>	<b>105.6</b>	<b>113.5</b>	<b>121.3</b>	<b>127.9</b>	<b>132.8</b>	<b>134.8</b>	<b>132.7</b>	<b>24.0</b>
<b>PZ1410C/45/6A</b>	160		<b>P1</b>	<b>109.0</b>	<b>114.5</b>	<b>122.5</b>	<b>131.7</b>	<b>140.9</b>	<b>148.6</b>	<b>154.1</b>	<b>155.8</b>	<b>152.6</b>	--
<b>PZ1410C/45/7D</b>	160		<b>P1</b>	<b>112.1</b>	<b>118.2</b>	<b>127.2</b>	<b>137.4</b>	<b>147.3</b>	<b>155.0</b>	<b>159.7</b>	<b>159.5</b>	<b>152.7</b>	--
<b>PZ1410C/45/8F</b>	160		<b>P1</b>	<b>109.6</b>	<b>116.2</b>	<b>126.0</b>	<b>136.9</b>	<b>146.9</b>	<b>154.0</b>	<b>156.7</b>	<b>152.8</b>	--	--

## — ACCESSORIES FEATURES —

Motor power kW	Motor Size	Axis line	Drive unit	Base	Flange discharge	Foot valve	Strainer
11 - 15	160	LA 10/30	ME250/30	PZ 250	DN 250 - PN 25	VF9"	SU9"
18.5 - 22	180						
30	200						
37 - 45	225						
55	250	LA 10/35	ME250/35				
75	280						
90							
110	315	LA 10/40	ME250/40				
132		LA 10/45	ME250/45				
160							

14 INCH




POMPE ZANNI®




PERFORMANCE CURVES

PZ14C - 1480 RPM

50 Hz - VERTICAL AXIS MULTISTAGE CENTRIFUGAL PUMPS



0 2000 4000 6000 8000 10000 12000 l/min



0 20 40 60 80 100 120 140 160 180 200 l/sec

Q

14 INCH